

Phone: (800) 824-3703 Online: www.mwivet.com



Phone: (888) 722-2242 Online: www.aahamarketlink.com



OOS flea, tick & heartworm prevention & control guide

do	QS flea, tick &	heartwo	orm prevention &	control guide	EAR MITES (Ot	FLEAS	FLIES (Biting)	FLIES (Sand)	HEARTWORMS	HOOKWORMS	HOOKWORMS	HOOKWORMS	LICE (Unspecifi	MITES, MANGE	MITES (Non-ma	MOSQUITOS	ROUNDWORM	ROUNDWORM	TAPEWORMS (TAPEWORMS (TICKS (Amblyo	TICKS (Amblyo	TICKS (Dermac	TICKS (Ixodes	TICKS (Hnipice	IICKS (Unspec WHIPWORMS (
MFR.	PRODUCT	FORM	MINIMUMS	ACTIVE INGREDIENT(S)	A		교	교	出	오	오	오 :		Ī	Ī	8	8	8	<u>₹</u>	<u>: </u> ≱	읟	읟	일	일	<u> </u>	≟ ₹
Bayer	K9 Advantix®II	Topical	Dogs age 7 weeks and older	Imidacloprid/ Permethrin/Pyriproxyfen		•	•						•			•					•		•	•	•	
	Advantage Multi® Topical Solution for Dogs (Rx)	Topical	Dogs age 7 weeks and older weighing 3 lbs or more	Imidacloprid/Moxidectin		•			•	•		•		•			•	•								•
	Advantage® II for Dogs	Topical	Dogs age 7 weeks and older	Imidacloprid/Pyripoxyfen		•							•													
	Seresto™	Collar	Dogs age 7 weeks and older	Flumethrin/Imidacloprid		•							•	•							•		•	•	•	
Ceva	Vectra 3D®	Topical	Dogs age 8 weeks and older	Dinotefuran/ Pyriproxyfen/Permethrin		•	•	•							•	•					•	•	•	•	•	
	Vectra for Dogs & Puppies®	Topical	Dogs age 8 weeks and older	Dinotefuran/Pyriproxyfen		•																				
Elanco	Comfortis® Chewable Tablets (Rx)	Chewable Tablet	Dogs age 14 weeks and older weighing 3.3 lbs or more	Spinosad		•																				
	Trifexis® (Rx)	Chewable Tablet	Dogs age 8 weeks and older weighing 5 lbs or more	Milbemycin Oxime/ Spinosad		•			•	•							•	•								•
Farnam	Adams [™] Plus Flea & Tick Control Collar	Collar	Dogs age 6 weeks and older	Tetrachlorvinphos/ (S)-Methoprene		•																			(•
Merck	ACTIVYL® Spot-On for Dogs & Puppies	Topical	Dogs age 8 weeks and older weighing 4 lbs or more	Indoxacarb		•																				
	ACTIVYL® Tick Plus for Dogs & Puppies	Topical	Dogs age 8 weeks and older weighing 4 lbs or more	Indoxacarb/Permethrin		•																			•	•
	Bravecto [™] (Rx)	Chewable	Dogs age 6 months and older weighing 4.4 lbs or more	Fluralaner		•															•		•	•	•	
	Scalibor® Protector Band for Dogs	Collar	Dogs age 12 weeks and older	Deltamethrin		•																	•	•	•	
	Tri-Heart® Plus (Rx)	Chewable Tablet	Dogs age 6 weeks and older	Ivermectin/Pyrantel					•	•	•	•					•	•								

VORMS (Ancylostoma braziliense) **VORMS (Uncinaria stenocephala)**

VORMS (Ancylostoma caninum)

WORMS (Dirofilaria immitis)

ITES (Otodectes cynotis)

(Ixodes scapularis "Deer Ticks", "Black Legged Ticks")

(Dermacentor variabilis "American Dog Ticks")

(Amblyomma americanum "Lone Star Ticks") (Amblyomma maculatum "Gulf Coast Ticks")

WORMS (Toxascaris leonina)

WORMS (Toxocara canis)

ORMS (Echinococcus spp.)

ORMS (Dipylidium

ORMS (Taenia spp.)

MANGE (Sarcoptes scabei)

Inspecified)

(Non-mange)

(Rhipicephalus sanguineus "Brown Dog Ticks")

ORMS (Trichuris vulpis)



Phone: (800) 824-3703 Online: www.mwivet.com



Phone: (888) 722-2242 Online: www.aahamarketlink.com



dogs flea, tick & heartworm prevention & control guide

			'	O	EAR MIT	AS	SS (E	S: (6	Ĕ	<u></u> ₹	<u> </u>	2	. [호	ES,	ES (g			EW	EW	(\$ ((S)	S) S	S) CS	(S)	M
MFR.	PRODUCT	FORM	MINIMUMS	ACTIVE INGREDIENT(S)	R	FLEAS	FLIES	FLIES (S	HEARTV	HOOKW	HOOK W	LICE (Ur	LICE (CI	MITES,	MITES (MOSQU	ROUND	TAPEW	TAPEW	TAPEW	TICKS (TICKS (/	TICKS (I	TICKS	TICKS (I	WHIPW
Merial	FRONTLINE® Plus for Dogs & Puppies	Topical	Dogs age 8 weeks and older	Fipronil/(S)-Methoprene		•							•	•							•		•	•	,	
	FRONTLINE [®] TRITAK [™] for Dogs & Puppies	Topical	Dogs age 12 weeks and older weighing 4 lbs or more	Fipronil/Cyphenothrin/ (S)-Methoprene		•							•								•		•	•	,	
	HEARTGARD® Chewables for Dogs (Rx)	Chewable	Dogs age 6 weeks and older	Ivermectin					•																	
	HEARTGARD® Plus Chewables for Dogs (Rx)	Chewable	Dogs age 6 weeks and older	Ivermectin/Pyrantel					•	•	•						•									
	NexGard [™] Chewables (Rx)	Chewable	Dogs age 8 weeks and older weighing 4 lbs or more	Afoxolaner		•															•		•	•		
Novartis	Sentinel® Flavor Tabs® (Rx)	Tablet	Dogs age 4 weeks and older weighing 2 lbs or more	Milbemycin Oxime/ Lufenuron		•			•	•							•									•
	Sentinel® Spectrum® (Rx)	Chewable	Dogs age 6 weeks and older weighing 2 lbs or more	Milbemycin Oxime/ Lufenuron/Praziquantel		•			•	•							•		•	•						•
Virbac	Iverhart Max® Chewable Tablets (Rx)	Chewable Tablet	Dogs age 8 weeks and older weighing 6 lbs or more	Ivermectin/Pyrantel/ Praziquantel					•	•	•						•			•						
	Preventic® Tick Collar for Dogs	Collar	Dogs age 12 weeks and older	Amitraz																					•	
VPL	Vet-Kem [®] Ovitrol [®] X-Tend [™] Spot On [®] for Dogs	Topical	Dogs age 10 weeks and older	Etofenprox/(S)- Methoprene/Piperonyl Butoxide		•										•									•	
	Vet-Kem [®] PowerBand [™] Flea & Tick Collar for Dogs	Collar	Dogs age 12 weeks and older	Propoxur/(S)- Methoprene		•																			•	
Zoetis	ProHeart®6 (Rx)	Injectable	Dogs age 6 months and older	Moxidectin					•	•																
	Revolution® (Rx)	Topical	Dogs age 6 weeks and older	Selamectin	•	•			•					•									•			

Green highlighted products are only available for AAHA MARKETLink customers

The products listed in this guide are those carried by MWI and/or AAHA MARKETLink that offer either preventative or treatment & control label claims for one or more parasiticide. This list does not include products that only serve to treat existing conditions (eg dewormers) or the environment (eg foggers; sprays). All data was gathered based on labels as listed in the Compendium of Veterinary Products. Always refer to label before using product, particularly to distinguish between levels of protection and control. MWI Veterinary Supply is not responsible for typographical errors, or otherwise.

NORMS (Ancylostoma braziliense) NORMS (Uncinaria stenocephala)

VORMS (Ancylostoma caninum)

WORMS (Dirofilaria immitis)

ITES (Otodectes cynotis)

(Ixodes scapularis "Deer Ticks", "Black Legged Ticks")

(Dermacentor variabilis "American Dog Ticks")

(Amblyomma americanum "Lone Star Ticks") (Amblyomma maculatum "Gulf Coast Ticks")

WORMS (Toxascaris leonina)

WORMS (Toxocara canis)

ORMS (Echinococcus spp.)

ORMS (Dipylidium

ORMS (Taenia spp.)

MANGE (Sarcoptes scabei)

Inspecified)

(Non-mange)

UITOS

"Brown Dog Ticks")

(Rhipicephalus sanguineus

ORMS (Trichuris vulpis)







flea, tick & heartworm prevention & control guide

MWI Veterinar	Phone: (800) 824-3703 Online: www.mwivet.com Respectively. Phone: (800) 824-3703 Online: www.mwivet.com Respectively. Resp	Lin	Online: www.aahamarke		EAR MITES (Otodectes cynotis)		HEARTWORMS (Dirofilaria immitis)	HOOKWORMS (Ancylostoma braziliense)	HOOKWORMS (Ancylostoma tubaeforme)	LICE (Chewing) MANGE (Sarrontes scahe)	MOSQUITOS	ROUNDWORMS (Toxocara canis)	ROUNDWORMS (Toxocari cati)	ROUNDWORMS (Toxascaris leonina)	TAPEWORMS (Dipylidium caninum)	TAPEWORMS (Taenia spp.) TICKS (Amblyomma americanum "I one Star Ticks")	TICKS (Dermacentor variabilis "American Dog Ticks")	TICKS (Ixodes scapularis "Deer Ticks", "Black Legged T	TICKS (Rhipicephalus sanguineus "Brown Dog Ticks")	TICKS (Unspecified)
MFR.	PRODUCT	FORM	MINIMUMS	ACTIVE INGREDIENT(S)	EAR N	FLEAS	HEAR	HOOK	HOOK	LICE (MOSC	ROUN	ROUN	ROUN	TAPE	TAPE	TICKS	TICKS	TICKS	TICKS
Bayer	Advantage Multi® for Cats (Rx)	Topical	Cats age 9 weeks and older weighing 2 lbs or more	Imidacloprid/Moxidectin	•	•	•		•				•							
	Advantage® II for Cats	Topical	Cats age 8 weeks and older	Imidacloprid/Pyripoxyfen		•														
	Seresto™ Cat	Collar	Cats age 10 weeks and older	Flumethrin/Imidacloprid		•										•	•	•	•	
Ceva	Vectra for Cats & Kittens®	Topical	Cats age 8 weeks and older	Dinotefuran/Pyriproxyfen		•														
Elanco	Cheristin™ for Cats	Topical	Cats age 8 weeks and older	Spinetoram		•														
	Comfortis® Chewable Tablets (Rx)	Chewable Tablet	Cats age 14 weeks and older weighing 2 lbs or more	Spinosad		•														
Farnam	Adams™ Plus BreakAway® Flea & Tick Collar	Collar	Cats age 12 weeks and older	Propoxur/(S)-Methoprene		•														•
Merck	ACTIVYL® Spot-On for Cats & Kittens/ ACTIVYL® Spot-On for Cats	Topical	Cats age 8 weeks and older weighing 2 lbs or more	Indoxacarb		•														
Merial	FRONTLINE® Plus for Cats & Kittens	Topical	Cats age 8 weeks and older	Fipronil/(S)-Methoprene		•				•						•	•	•	•	
	FRONTLINE® TRITAK™ for Cats & Kittens	Topical	Cats age 12 weeks and older	Fipronil/Etofenprox/(S)-Methoprene		•				•						•	•	•	•	
	HEARTGARD® for Cats & Kittens (Rx)	Chewable	Cats age 6 weeks and older	Ivermectin			•	•	•											
Novartis	Program® 6 Month Injectable for Cats (Rx)	Injectable	Cats age 6 weeks and older	Lufenuron		•														
VPL	Vet-Kem [®] Ovitrol [®] X-Tend [™] Spot On [®] for Cats	Topical	Cats age 12 weeks and older	Etofenprox/(S)-Methoprene		•					•							•		
	Vet-Kem® Breakaway® Plus Flea & Tick Collar for Cats	Collar	Cats age 12 weeks and older	Propoxur/(S)-Methoprene		•														•
Zoetis	Revolution® (Rx)	Topical	Cats age 8 weeks and older	Selamectin	•	•	•		•				•							
																				_

Ticks")